

Smart Pneumatic Resistance Training System

Origin: Finland Certificate: ISO 20957, CE


- Computerized training and operations
- Close to zero starting load
- 100g and 1kg increments
- Automatic resistance increase
- Safe natural movement
- Air resistance
- Hur medical concepts with training programmes



Pneumatic Resistance

The computerized air pressure equipment is especially designed to meet the needs of rehabilitation, senior exercise and inclusive wellness users. HUR's more consistent load or resistance profile reduces stress on joints and connective tissues


HUR Natural Transmission " resistance curve



On standard weight stack machines, inertial forces distort resistance curves, especially at high speeds. Even when employing cams, weight stack machines only operate properly with slow controlled movements.

Advantages

- Comfortable and virtually silent
- With range limiters, making rehabilitation safe
- Work muscles in both concentric and eccentric phases
- Many machines also equip with measurement and training of isometric strength
- HUR Medical Concept with training program



All HUR machines work muscles in both concentric and eccentric phases.



HUR SmartTouch

Origin: Finland Certificate: ISO 20957

HUR SmartTouch can
be integrated with other
applications / programs using
Web Services or by using an
integration engine for the HL7
interface. These solutions
enable importing of clients/
patients into HUR Smart-Touch
or exporting them to other
applications. Also the training
information can be exported.




A combination of scientific exercise equipment and an intelligent exercise system that represent the smartest, most comprehensive exercise solution For Lifelong Strength - providing a holistic, motivating and evidence-based training and rehabilitation experience for the customer, and an eviddnce-based automated management tool for clinic and gym owners.

The System Includes:

- HUR strength training and testing equipment
- HUR balance testing and training equipment
- HUR pulley functional training
- HUR FreeTrainer with registration of equipmentfree exercises
- Compatible with selected cardio equipment and other third-party solutions
- Possibility to integrate with other systems
- Operating software
- Automated benchmarking and reporting capabilities
- Optional online training and rehabilitation protocols
- Remote viewing to track utilization and efficiency



HUR SmartTouch Ecosystem



HUR SmartTouch benefits

Evidence-based exercise programs with effective outcomes

benefits of hur smarttouch:

- A comprehensive exercise system provides a complete, motivating and smooth training experience
- Evidence-based concepts with training programs provide favorable outcomes
- Automated activities speed up introduction of new customers, facilitate reporting and reduce mundane tasks
- The intelligent system stores training data and visualizes the progress.
- Automatic detailed machine adjustments according to the personal training plan makes the training safe and smooth
- Complete control with local version or cloud version allows also for managing multiple locations in one system



HUR SmartTouch features - HUR Mobile App

Capture Every Exercise, at home or at the gym, with the HUR Mobile App



Second Features

- The HUR Mobile App extends SmartTouch workouts into the home with an easy-to-use app for tablets and smartphones.
- The app includes 140+ equipment-free exercises complete with exercise videos and simple instructions.
- The app collects key exercise data to maximize individual training experience and provide outcome data to the trainer or therapist.

Set personal exercise goals: visits per week, visits per month 140+ new home exercises with instructions and videos

Empower individuals to exercise at home with a phone or tablet



Instructors can
easily add exercises
and videos through HUR
SmartTouch

Fuels motivation with easy to understand performance statistics

In-app messaging between instructor and user

Track user's home and gym exercises

See user's visit history



HUR Multifunction

A Space-Saving Strength Training Solution

Origin: Finland Certificate: ISO 20957, CE











STE8540-Hi5 4X Multifunction Machine

OPERATING SYSTEM OPTIONS:

56 SmartTouch Hi5

STANDARD EQUIPMENT FEATURES:

- 34 Multifunction:
- Dip/Shrug (range limiters & isometric testing)
- Leg Press (lock mechanisms & isometric testing)
- Assisted Squat
- 14 Easy access handgrips
- 21 Electrically adjustable seat position

- 47 Foot straps
- 32 Lock mechanism
- 39 Range limiters (with start and end position)
- 29 Isometric testing connector
- 36 Neck cushion
- 54 An adjustable feet with floor mounting option

EQUIPMENT OPTIONS:

2 Additional seat cushion (9034-2)

Width	Length	Height	Weight
103 cm	188 cm	132 cm	154kg

ST8530-Hi5 5X Multifunction Machine

OPERATING SYSTEM OPTIONS:

56 SmartTouch Hi5

STANDARD EQUIPMENT FEATURES:

- 34 Multifunction:
- Chest Press (isometric testing)
- Leg Extension/Curl (range limiters & isometric testing)
- Push Up/Pull Down (range limiters & isometric testing)
- 48 Steplessly adjustable back support
- 7 Adjustable lever arms

- 35 Multigrip handles
- 31 Leg straps
- 39 Range limiters (with start and end position)
- 29 Isometric testing connector
- 11 Belt
- 36 Neck cushion
- 54 Adjustable feet with floor mounting option

EQUIPMENT OPTIONS:

2 Additional seat cushion (9034-2)

Width	Length	Height	Weight
122cm	185cm	184cm	144 kg



HUR Premium Line

Robotic Personal Trainer For Everyone

Origin: Finland Certificate: EN 60601-1, CE

HUR's most developed range offers world-leading, university level equipment for use in senior exercise and rehabilitation. In these sectors it is crucial, for efficient and safe training and operation, to have a computerized system for automated reporting and the possibility for individual safe training with pneumatic resistance - as well as a close to zero starting load and 100g/1kg resistance increments.

Upper Body

STE5110-Hi5 Biceps/ Tricep



Width	Length	Height	Weight
115	103	124	85
cm	cm	cm	kg

STE 5150-Hi5 Lat Pull

Length

132

cm

94

cm

Height Weight

73

kg

107

cm

STE5120-Hi5 Push Up/ Pull Down



Width	Length	Height	Weight
110	150	181	79
cm	cm	cm	kg

STE5160-Hi5 Pec Deck



Width	Length	Height	Weight
118	100	132	74
cm	cm	cm	kg

STE5125-Hi5 Dip/Strug



Width	Length	Height	Weight
86	98	137	69
cm	cm	cm	kg

Press

STE5140-Hi5 Chest



Width	Length	Height	Weight
119	125	137	87
cm	cm	cm	kg

STE5175-Hi5 Optimal Rhomb



Width	Length	Height	Weight
106	131	113	77
cm	cm	cm	kg

Strength Training

Core Body

STE5310-Hi5 Abdomen/Back



-						
Width	Length	Height	Weight			
86	90	130	71			
cm	cm	cm	kg			

STE 5320-Hi5 Back Extension



Width	Length	Height	Weight		
86	111	115	75		
cm	cm	cm	kg		

STE 5330-Hi5 Twist



Width	Length	Height	Weight
80	125	126	59
cm	cm	cm	kg

ST5340-Hi5 Twist Rehab



Width	Length	Height	Weight			
140	101	120	75			
cm	cm	cm	kg			

Lower Body

ST5510-Hi5 Body Extension



Width	Length	Height	Weight
112	125	114	86
cm	cm	cm	kg

ST5520-Hi5 Adduction/ Abduction



Width	Length	Height	Weight
147	123	126	73
cm	cm	cm	kg

STE5530-Hi5 Leg Extension/Curl



Width	Length	Height	Weight
112	157	145	104
cm	cm	cm	kg

STE5540-Hi5 Leg Press



Width	Length	Height	Weight
103	170	135	127
cm	cm	cm	kg

STE5546-Hi5 Leg Press STE5549-Hi5 Leg Press CC



Width	Length	Height	Weight
93	222	128	107
cm	cm	cm	kg



Width	Length	Height	Weight
94	227	159	175
cm	cm	cm	kg



HUR Accessible Line

An Accessible Training Solution for Everyone

Origin: Finland Certificate: EN 60601-1, CE

HUR's Accessible Line is designed for both wheelchair users and non-disabled individuals, offering independent training through its open U-shaped design and rollaway seat. The pneumatic Natural Transmission™ system ensures smooth, safe movements, making the equipment ideal for inclusive fitness and rehabilitation.

With wheelchair accessibility and SmartTouch technology, HUR enables personalized, efficient training for a wide range of users, empowering everyone to train confidently.

Upper Body

ST9110-Hi5 Biceps/ Triceps Easy Access*



Width	Length	Height	Weight
127	115	128	91
cm	cm	cm	kg

ST9150-Hi5 Lat Pull Easy Access*



Width	Length	Height	Weight
116	105	118	80
cm	cm	cm	kg

ST9120-Hi5 Push Up/ Pull Down Easy Access*



Width	Length	Height	Weight
113	127	179	73
cm	cm	cm	kg

ST9160-Hi5 Pec Deck Easy Access*



Width	Length	Height	Weight
143	113	138	82
cm	cm	cm	kg

ST9125-Hi5 Dip/Shrug Easy Access*



Width	Length	Height	Weight
107	130	108	72
cm	cm	cm	kg

ST9175-Hi5 Optimal Rhomb Easy Access*



Width	Length	Height	Weight
126	106	114	82
cm	cm	cm	kg

ST9140-Hi5 Chest Press Easy Access*



Width	Length	Height	Weight
131	137	105	84
cm	cm	cm	kg

*This machine can be used with wheelchair

Core Body

ST9310-Hi5 Abdomen/ Back Easy Access



Width	Length	Height	Weight
85	154	171	89
cm	cm	cm	kg

ST9330-Hi5 Twist Easy Access



Width	Length	Height	Weight
80	125	126	63
cm	cm	cm	kg



HUR Pulley Functional Trainer

A large range of exercises in one machine

Origin: Finland Certificate: ISO 20957, CE

ST8820-Hi5 Wall Mounted max load 40 kg (per cable 20 kg)

ST8821-Hi5 Free Standing Pulley max load 40 kg (per cable 20 kg)

ST8830-Hi5 Wall Mounted max load 60 kg (per cable 30 kg)

ST8831-Hi5 Free Standing Pulley max load 60 kg (per cable 30 kg)









Pulley 2 in 1 and 3 in 1 configurations available as option

OPERATING SYSTEM OPTIONS:

56 SmartTouch Hi5

STANDARD EQUIPMENT FEATURES:

- 3 Hand grip (2 pieces) (8210)
- 2 Leg strap (8211)
- 4 Strap extension (8214)
- 1 Adjustable support handles

EQUIPMENT OPTIONS:

- **5** Crossover (8805)
- 6 Pulley rowing bench (8206)
- 3 Hand grip (8210)
- 2 Leg strap (includes 8214 Strap extension) (8211)

Wall mounted

Width	Length	Height	Weight
83cm	87cm	215cm	49kg

- 9 Thigh/shoulder strap (includes 8214 Strap extension) (8212)
- 8 Waist strap (includes 8214 Strap extension) (8213)
- 4 Strap extension (8214)
- **10** Tetra glove (8215)
- **7** Gripeeze tube grip left (8216)
- 7 Gripeeze tube grip right (8217)
- 12 Pulley pulldown grip (8220)
- 11 Pulley triceps grip (8221)
- 13 Pulley accessories package (8223)
- 14 Removable Chest support for Pulley (8224)
- **15** Pulley 2 in 1 legs (8202)
- 16 Pulley 3 in 1 legs (8203)

Free Standing

Width	Length	Height	Weight
136cm	145cm	215cm	82kg

Customize your own style







Frame Colours

STANDARD FRAME COLOURS, ALSO FOR PULLEY







White

Silver-grey

Cushion Colours

STANDARD UPHOLSTERY COLOURS

106 Light Blue 113 Black





114 Blue Atol

115 Red Cherry 116 Lime

117 Brown Cashmere

118 Anthacite 119 Beige Pearl 120 Stone Blue

115

106





118





CUSTOM UPHOLSTERY COLOURS

Custom upholstery colours available at additional price and longer delivery time.

* These colour examples do not exactly match the real cushion colours.

Please contact us for the colour map with the precise colour choices.



Origin: USA

Shuttle MiniPress Series

Take The Leg Press To The Patient

The Shuttle MiniPress is a portable leg press that weighs only 15 lbs and attaches to any chair or wheelchair, eliminating the need for transfers. It can be used while seated, standing, or supine





1 MiniPress

2-80 lbs of progressive elastic resistance. Ideal for Skilled Nursing, Home Health, and Crowded Clinic environments.



2 MiniPress Lite II

2-50 lbs of progressive elastic resistance. Ideal for Home Health and In-Patient Rehab environments.

Sector

Wheel Chair Accessible

Attaches easily to any chair or wheelchair using retractable cords, eliminating the need for transfers. Now you can bring the press to the patient.

Adjustable Footplate

Adjustable from horizontal to 75 degrees for various degrees of flexion. The security strap can be used to keep feet in place.

Roller Wheels

The lightweight construction of the Shuttle MiniPress makes it easy to move around the clinic using the built in wheels.

Total Knee Rehabilitation

The perfect choice for your total knee patients. It provides smooth controlled resistance ideal for developing flexion.

Elasticord Resistance

MiniPress resistance ranges from 2 to 80 lbs in a 15 lb portable leg press. New finger grip elasticords allow for easy loading.



